

ADTRAN

633

10G-EPON SFP+ ONU



Benefits

- Cost-effective delivery of symmetric multi-gigabit services
- Key part of a wireless residential gateway deployment strategy
- Traffic management through priority queuing, scheduling, policing and traffic shaping

Overview

The ADTRAN 633-0 (633) 10G EPON SFP+ optical network unit (ONU) is a key component of the ADTRAN 10G-EPON fiber access portfolio, allowing cable MSOs to expand their distributed access architecture (DAA) and FTTH strategies from residential broadband delivery to supporting lucrative enterprise broadband services.

The 633 10G-EPON SFP+ ONU is the industry's first 10G-EPON pluggable on the market. The 633 10G-EPON SFP+ ONU delivers SLA-based symmetric 1/2.5/5/10G services over an optical distribution network, offering a cost-effective and yet highly capable Carrier Ethernet service alternative. The 633 10G-EPON SFP+ ONU preserves space and power, alleviating the need for a physical dual box solution, encompassing both the ONU and demarcation device in a pluggable. With built-in support for DOCSIS provisioning over EPON (DPoE), the 633 10G-EPON SFP+ ONU can quickly and easily integrate with an MSO's existing infrastructure, speeding time-to-market for new fiber-based service deployments.

ADTRAN 633

Product Specifications

Dimensions

- 87.5 mm x 15.6 mm x 13.75 mm (L x W x D)

Power

- Power Consumption: < 2.8W

Working Environment

- Operating Temperature: -40° F to 185° F (-40° C to +85° C)
- Humidity: 5% ~ 95% relative humidity, non-condensed

Safety & EMI

- CE compliant
- FCC/UL compliant

PON Interface

- Compliant with IEEE 802.3av and SIEPON
- IEEE 1904.1 standards
- SFF type laser, SC/UPC connector
- 10G bps Burst Mode Upstream Transmitter
- 10G bps Downstream Receiver
- Compliant w/ IEEE 802.3av PR-30 PHY
 - ◆ 15 to 29dB Channel Loss
- Wavelengths:
 - ◆ US 1260nm to 1280nm, DS 1575nm to 1580nm

PON Features

- Multiple LLIDs per device
- Flexible mapping between traffic priority and LLID
- Multicast LLID and IGMP/MLD support
- Link Security
 - ◆ AES-128 (DS/US))
 - ◆ MACSec
 - ◆ FEC (Forward Error Correction) (DS/US)
 - ◆ DBA reporting – 1-8Queue, 1-2Qsets
 - ◆ 802.1p mapper service profile

Ethernet Interface

- SFP+ based 10GBase-X GbE interface
- Hardware priority queues on the downstream direction in support of CoS
- 802.1D bridging
- Virtual switch based on 802.1q VLAN
- VLAN tagging
- VLAN stacking (Q-in-Q) and VLAN Translation
- IP ToS/DSCP to 802.1p mapping
- Class of Service based on VLAN-ID, 802.1p bit, ToS/DSCP
- Marking/remarking of 802.1p
- Broadcast/Multicast rate limiting
- Jumbo Frame Support

OAM

- Standard compliant OAM (the embedded operations channel) interface as defined by IEEE 802.3av, IEEE 1904.1, DPoEv2.0
- Remote software image download, service activation and reset
- Supports two SW Images
- SW integrity checking w/auto rollback



ADTRAN, Inc.
901 Explorer Boulevard
Huntsville, AL 35806

General Information
800 9ADTRAN
256 963 8000
www.adtran.com/contactus

Canada—Montreal, Quebec
+1 877 923 8726
+1 514 940 2888
sales.canada@adtran.com

Mexico and Central America
+1 52 55 5280 0265 Mexico
sales.cala@adtran.com

AD10907B

April Copyright © 2020 ADTRAN, Inc. All rights reserved. ADTRAN believes the information in this publication to be accurate as of publication date, and is not responsible for error. Specifications subject to change without notice. ADTRAN® and the other trademarks listed at www.adtran.com/trademarks are registered trademarks of ADTRAN, Inc. or its affiliates in various countries. All other trademarks mentioned in this document are the property of their respective owners.

ADTRAN warranty duration and entitlements vary by product and geography. For specific warranty information, visit www.adtran.com/warranty.

ADTRAN products may be subject to U.S. export controls and other trade restrictions. Any export, re-export, or transfer of the products contrary to law is prohibited. For more information regarding exportation of ADTRAN items (e.g. commodities, technology, software), please visit www.adtran.com/exportlicense.



TL9000
TL 93 1270